



1400 SERIES

 **INDOOR**

4B+ Horizontal Mailboxes

Recessed-mounted, multifamily mailboxes

Not USPS Approved for new installations. 1400 Series are USPS Approved for **direct replacement** use only (USPS STD-4B+ Approved). Always consult with local Postal Officials before proceeding with mailbox replacement.

MB = Mailboxes OM = Outgoing Mail
PL = Parcel Lockers R.O. = Rough Opening

5 DOORS HIGH | Actual: 28" H / Rough Opening: 28-1/4" H



	140052A*	140053A*	140054A*	140055A*	140054DA	140054PLA	140055PLA	140055OUA
#MB	9	14	19	24	9	0	20	20
#PL	0	0	0	0	0	4	1	0
#OM	0	0	0	0	0	0	0	1
Width	14-3/8"	20-3/4"	27-1/4"	33-5/8"	27-1/4"	27-1/4"	33-5/8"	33-5/8"
R.O.	14-5/8"	21"	27-1/2"	33-7/8"	27-1/2"	27-1/2"	33-7/8"	33-7/8"

6 DOORS HIGH | Actual: 33-3/8" H / Rough Opening: 33-5/8" H



	140062A*	140063A*	140064A*	140065A*	140064DA	140064PLA	140065PLA	140065OUA
#MB	11	17	23	29	11	0	25	25
#PL	0	0	0	0	0	6	1	0
#OM	0	0	0	0	0	0	0	1
Width	14-3/8"	20-3/4"	27-1/4"	33-5/8"	27-1/4"	27-1/4"	33-5/8"	33-5/8"
R.O.	14-5/8"	21"	27-1/2"	33-7/8"	27-1/2"	27-1/2"	33-7/8"	33-7/8"

7 DOORS HIGH | Actual: 38-3/4" H / Rough Opening: 39" H



	140072A*	140073A*	140074A*	140075A*	140074DA	140074PLA	140075PLA	140075OUA
#MB	13	20	27	34	13	0	30	30
#PL	0	0	0	0	0	6	1	0
#OM	0	0	0	0	0	0	0	1
Width	14-3/8"	20-3/4"	27-1/4"	33-5/8"	27-1/4"	27-1/4"	33-5/8"	33-5/8"
R.O.	14-5/8"	21"	27-1/2"	33-7/8"	27-1/2"	27-1/2"	33-7/8"	33-7/8"

NOTE: USPS requires upgrade to current standards when any remodel or renovation occurs to the property. Any remodel big or small should drive an upgrade to CBU or STD-4C Mailboxes per USPS Guidance.



Horizontal mailboxes should be installed indoors and protected from direct weather exposure. Florence Corporation is not responsible for damage caused by weather conditions.


Contact your HD Sales Representative for customer specific pricing.



4B+ HORIZONTAL MAILBOX Replacement Parts

COMPARTMENT & PARCEL DOORS

Model Number	Description
KL14700	Postal/Master Door – 5"H x 6-3/8"W
KL14720	Postal/Master Door – 5"H x 12-7/8"W
K1400*	Compartment Door (1H x 1W) – 5"H X 6-3/8"W – specify ID & lock prep
K1403*	Compartment Door (1H x 2W) – 5"H X 12-7/8"W – specify ID & lock prep
K1404*	Compartment Door (2H x 2W) – 10-3/8"H X 12-7/8"W – specify ID & lock prep
K1406*	Compartment Door (3H x 2W) – 15-3/4" H x 12-7/8"W – specify ID & lock prep
K1408*	Compartment Door (4H x 2W) – specify ID & lock prep
K1410*	Compartment Door (5H x 2W) – specify ID & lock prep
K1404P*	Parcel Locker Door (2H x 2W) – 10-3/8"H X 12-7/8"W – specify ID & lock prep
K1406P*	Parcel Locker Door (3H x 2W) – 15-3/4" H x 12-7/8"W – specify ID & lock prep
K1408P*	Parcel Locker Door (4H x 2W) – specify ID & lock prep
K1410P*	Parcel Locker Door (5H x 2W) – specify id and lock prep



K1400*
Compartment
Door (1H x 1W)



K1404P*
Parcel Locker
Door (2H x 2W)

DOOR PARTS



1109-108
Number Slot
(Cardboard Paper)



52100
Number Slot
(Metal Backplate)



53000
Number Slot
(Plastic Cover)



52918
Door Spring
(1 per Door)



30188
Washer
(2 per Door)



52960
Hinge Pins
(2 per Door)

LOCKS & KEYS



1111-115
Key Blank



K30809
Compartment Lock
+ 2 Keys



K30810
Parcel Locker Lock
+ 2 Keys



K59200
PL Lock Assembly



1400 SERIES

INDOOR

4B+ Horizontal Mailboxes

Recessed-mounted, multifamily mailboxes

Not USPS Approved for new installations. 1400 Series are USPS Approved for **direct replacement** use only (USPS STD-4B+ Approved). Always consult with local Postal Officials before proceeding with mailbox replacement.

MB = Mailboxes OM = Outgoing Mail
PL = Parcel Lockers R.O. = Rough Opening

5 DOORS HIGH | Actual: 28" H / Rough Opening: 28-1/4" H



140052A* **140053A*** **140054A*** **140055A*** **140054DA** **140054PLA** **140055PLA** **140055OUA**

#MB	9	14	19	24	9	0	20	20
#PL	0	0	0	0	0	4	1	0
#OM	0	0	0	0	0	0	0	1
Width	14-3/8"	20-3/4"	27-1/4"	33-5/8"	27-1/4"	27-1/4"	33-5/8"	33-5/8"
R.O.	14-5/8"	21"	27-1/2"	33-7/8"	27-1/2"	27-1/2"	33-7/8"	33-7/8"

6 DOORS HIGH | Actual: 33-3/8" H / Rough Opening: 33-5/8" H



140062A* **140063A*** **140064A*** **140065A*** **140064DA** **140064PLA** **140065PLA** **140065OUA**

#MB	11	17	23	29	11	0	25	25
#PL	0	0	0	0	0	6	1	0
#OM	0	0	0	0	0	0	0	1
Width	14-3/8"	20-3/4"	27-1/4"	33-5/8"	27-1/4"	27-1/4"	33-5/8"	33-5/8"
R.O.	14-5/8"	21"	27-1/2"	33-7/8"	27-1/2"	27-1/2"	33-7/8"	33-7/8"

7 DOORS HIGH | Actual: 38-3/4" H / Rough Opening: 39" H



140072A* **140073A*** **140074A*** **140075A*** **140074DA** **140074PLA** **140075PLA** **140075OUA**

#MB	13	20	27	34	13	0	30	30
#PL	0	0	0	0	0	6	1	0
#OM	0	0	0	0	0	0	0	1
Width	14-3/8"	20-3/4"	27-1/4"	33-5/8"	27-1/4"	27-1/4"	33-5/8"	33-5/8"
R.O.	14-5/8"	21"	27-1/2"	33-7/8"	27-1/2"	27-1/2"	33-7/8"	33-7/8"

NOTE: USPS requires upgrade to current standards when any remodel or renovation occurs to the property. Any remodel big or small should drive an upgrade to CBU or STD-4C Mailboxes per USPS Guidance.



Horizontal mailboxes should be installed indoors and protected from direct weather exposure. Florence Corporation is not responsible for damage caused by weather conditions.


Contact your Lowes Sales Representative for customer specific pricing.



4B+ HORIZONTAL MAILBOX Replacement Parts

COMPARTMENT & PARCEL DOORS

Model Number	Description
KL14700	Postal/Master Door – 5"H x 6-3/8"W
KL14720	Postal/Master Door – 5"H x 12-7/8"W
K1400*	Compartment Door (1H x 1W) – 5"H X 6-3/8"W – specify ID & lock prep
K1403*	Compartment Door (1H x 2W) – 5"H X 12-7/8"W – specify ID & lock prep
K1404*	Compartment Door (2H x 2W) – 10-3/8"H X 12-7/8"W – specify ID & lock prep
K1406*	Compartment Door (3H x 2W) – 15-3/4" H x 12-7/8"W – specify ID & lock prep
K1408*	Compartment Door (4H x 2W) – specify ID & lock prep
K1410*	Compartment Door (5H x 2W) – specify ID & lock prep
K1404P*	Parcel Locker Door (2H x 2W) – 10-3/8"H X 12-7/8"W – specify ID & lock prep
K1406P*	Parcel Locker Door (3H x 2W) – 15-3/4" H x 12-7/8"W – specify ID & lock prep
K1408P*	Parcel Locker Door (4H x 2W) – specify ID & lock prep
K1410P*	Parcel Locker Door (5H x 2W) – specify id and lock prep



K1400*
Compartment
Door (1H x 1W)



K1404P*
Parcel Locker
Door (2H x 2W)

DOOR PARTS



1109-108
Number Slot
(Cardboard Paper)



52100
Number Slot
(Metal Backplate)



53000
Number Slot
(Plastic Cover)



52918
Door Spring
(1 per Door)



30188
Washer
(2 per Door)



52960
Hinge Pins
(2 per Door)

LOCKS & KEYS



1111-115
Key Blank



K30809
Compartment Lock
+ 2 Keys



K30810
Parcel Locker Lock
+ 2 Keys



K59200
PL Lock Assembly

 **INDOOR**

1400 SERIES

4B+ Horizontal Mailboxes

Recessed-mounted, multifamily mailboxes



PRIVATE USE
Not USPS approved

Not USPS Approved for new installations. 1400 Series are USPS Approved for **direct replacement** use only (USPS STD-4B+ Approved). Always consult with local Postal Officials before proceeding with mailbox replacement.

MB = Mailboxes OM = Outgoing Mail
PL = Parcel Lockers R.O. = Rough Opening

5 DOORS HIGH | Actual: 28" H / Rough Opening: 28-1/4" H



	140052A*	140053A*	140054A*	140055A*	140054DA	140054PLA	140055PLA	140055OUA
#MB	9	14	19	24	9	0	20	20
#PL	0	0	0	0	0	4	1	0
#OM	0	0	0	0	0	0	0	1
Width	14-3/8"	20-3/4"	27-1/4"	33-5/8"	27-1/4"	27-1/4"	33-5/8"	33-5/8"
R.O.	14-5/8"	21"	27-1/2"	33-7/8"	27-1/2"	27-1/2"	33-7/8"	33-7/8"

6 DOORS HIGH | Actual: 33-3/8" H / Rough Opening: 33-5/8" H



	140062A*	140063A*	140064A*	140065A*	140064DA	140064PLA	140065PLA	140065OUA
#MB	11	17	23	29	11	0	25	25
#PL	0	0	0	0	0	6	1	0
#OM	0	0	0	0	0	0	0	1
Width	14-3/8"	20-3/4"	27-1/4"	33-5/8"	27-1/4"	27-1/4"	33-5/8"	33-5/8"
R.O.	14-5/8"	21"	27-1/2"	33-7/8"	27-1/2"	27-1/2"	33-7/8"	33-7/8"

7 DOORS HIGH | Actual: 38-3/4" H / Rough Opening: 39" H



	140072A*	140073A*	140074A*	140075A*	140074DA	140074PLA	140075PLA	140075OUA
#MB	13	20	27	34	13	0	30	30
#PL	0	0	0	0	0	6	1	0
#OM	0	0	0	0	0	0	0	1
Width	14-3/8"	20-3/4"	27-1/4"	33-5/8"	27-1/4"	27-1/4"	33-5/8"	33-5/8"
R.O.	14-5/8"	21"	27-1/2"	33-7/8"	27-1/2"	27-1/2"	33-7/8"	33-7/8"

NOTE: USPS requires upgrade to current standards when any remodel or renovation occurs to the property. Any remodel big or small should drive an upgrade to CBU or STD-4C Mailboxes per USPS Guidance.



Horizontal mailboxes should be installed indoors and protected from direct weather exposure. Florence Corporation is not responsible for damage caused by weather conditions.

Contact your HD Supply Sales Representative for customer specific pricing.




4B+ HORIZONTAL MAILBOX

Replacement Parts

COMPARTMENT & PARCEL DOORS

Model Number	Description
KL14700	Postal/Master Door – 5"H x 6-3/8"W
KL14720	Postal/Master Door – 5"H x 12-7/8"W
K1400*	Compartment Door (1H x 1W) – 5"H X 6-3/8"W – specify ID & lock prep
K1403*	Compartment Door (1H x 2W) – 5"H X 12-7/8"W – specify ID & lock prep
K1404*	Compartment Door (2H x 2W) – 10-3/8"H X 12-7/8"W – specify ID & lock prep
K1406*	Compartment Door (3H x 2W) – 15-3/4" H x 12-7/8"W – specify ID & lock prep
K1408*	Compartment Door (4H x 2W) – specify ID & lock prep
K1410*	Compartment Door (5H x 2W) – specify ID & lock prep
K1404P*	Parcel Locker Door (2H x 2W) – 10-3/8"H X 12-7/8"W – specify ID & lock prep
K1406P*	Parcel Locker Door (3H x 2W) – 15-3/4" H x 12-7/8"W – specify ID & lock prep
K1408P*	Parcel Locker Door (4H x 2W) – specify ID & lock prep
K1410P*	Parcel Locker Door (5H x 2W) – specify id and lock prep



K1400*

Compartment Door (1H x 1W)



K1404P*

Parcel Locker Door (2H x 2W)

DOOR PARTS



1109-108

Number Slot
(Cardboard Paper)



52100

Number Slot
(Metal Backplate)



53000

Number Slot
(Plastic Cover)



52918

Door Spring
(1 per Door)



30188

Washer
(2 per Door)



52960

Hinge Pins
(2 per Door)

LOCKS & KEYS



1111-115

Key Blank



K30809

Compartment Lock
+ 2 Keys



K30810

Parcel Locker Lock
+ 2 Keys



K59200

PL Lock Assembly