




1250 SERIES

Vertical Mailboxes

 **INDOOR**



All vertical mailbox modules are available in either recessed-mount for in-wall mounting or surface-mount (with included mounting collar).

Not USPS Approved for New Installations Always consult with local Postal Officials before proceeding with mailbox replacement.

RECESSED-MOUNTED

Fully recessed for in-wall mounting.

All Cabinets: 19-1/8" H, 6-1/8" D



12503HA
3 Mailboxes



12504HA
4 Mailboxes



12505HA
5 Mailboxes



12506HA
6 Mailboxes



12507HA
7 Mailboxes

SURFACE-MOUNTED

When your mailbox installation location has limited wall depth or walls that are covered in material which makes it difficult to cut a rough opening, the surface-mount collar provides a sleek, finished look for the mailbox.



Model Number	Compartments
12503SMSHA	3 Mailboxes
12504SMSHA	4 Mailboxes
12505SMSHA	5 Mailboxes
12506SMSHA	6 Mailboxes
12507SMSHA	7 Mailboxes

NOTE: USPS requires upgrade to current standards when any remodel or renovation occurs to the property. Any remodel big or small should drive an upgrade to CBU or STD-4C Mailboxes per USPS Guidance.



Vertical mailboxes should be installed indoors and protected from direct weather exposure. Florence Corporation is not responsible for damage caused by weather conditions.

Single Row	Double Row	Layout Per Row	Wall Cut Width	Overall Width
3	6	3	17-1/2"	19"
4	8	4	23"	24-1/2"
5	10	5	28-5/8"	30-1/8"
6	12	6	34-1/8"	35-5/8"
7	14	7	39-5/8"	41-1/8"
8	16	4-4	47-1/2"	49"
9	18	5-4	53-1/8"	54-5/8"
10	20	5-5	58-3/4"	60-1/4"
11	22	6-5	64-1/4"	65-3/4"
12	24	6-6	69-3/4"	71-1/4"
13	26	7-6	75-1/4"	76-3/4"
14	28	7-7	80-3/4"	82-1/4"
15	30	5-5-5	88-7/8"	90-3/8"
16	32	5-6-5	94-3/8"	95-7/8"
17	34	6-6-5	99-7/8"	101-3/8"
18	36	6-6-6	105-3/8"	106-7/8"
19	38	6-6-7	110-7/8"	112-3/8"
20	40	7-7-6	116-3/8"	117-7/8"
21	42	7-7-7	121-7/8"	123-3/8"
22	44	6-6-6-4	129-7/8"	131-3/8"
23	46	6-6-6-5	135-1/2"	137"
24	48	6-6-6-6	141"	142-1/2"
25	50	7-6-6-6	146-1/2"	148"
26	52	7-7-7-5	152"	153-1/2"
27	54	7-7-7-6	157-1/2"	159"
28	56	7-7-7-7	163"	164-1/2"
29	58	6-6-6-6-5	171-1/8"	172-5/8"
30	60	6-6-6-6-6	176-5/8"	178-1/8"
Single Row			Double Row	
Wall Cut Depth = 6-3/4"			Wall Cut Depth = 6-3/4"	
Wall Cut Height = 17-3/4"			Wall Cut Height = 37"	
Overall Height = 19-1/8"			Overall Height = 38-1/4"	




VERTICAL MAILBOX Replacement Parts

DOOR & DOOR PARTS



42550
Hinge Pins
(2 per door)



43200
Name Card
(1 per door)



KL41705
High Security Kit
for Master Door



K40100*
Master Door



K40300*
Compartment
Door

LOCKS & KEYS



1111-115
Key Blank



K30809
Lock + 2 Keys



41800
Stop Clips



46010
Press to Close Bar



K41300
Arrow Lock
Mounting Hardware

HARDWARE & MISCELLANEOUS PARTS

SURFACE-MOUNT COLLARS



Model Number

Description

SMS1253A	Collar for 3 wide 12503HA
SMS1254A	Collar for 4 wide 12504HA
SMS1255A	Collar for 5 wide 12505HA
SMS1256A	Collar for 6 wide 12506HA
SMS1257A	Collar for 7 wide 12507HA



1250 SERIES

Vertical Mailboxes

 **INDOOR**



PRIVATE USE
Not USPS approved

All vertical mailbox modules are available in either recessed-mount for in-wall mounting or surface-mount (with included mounting collar).

Not USPS Approved for New Installations Always consult with local Postal Officials before proceeding with mailbox replacement.

RECESSED-MOUNTED

Fully recessed for in-wall mounting.

All Cabinets: 19-1/8" H, 6-1/8" D



12503HA

3 Mailboxes



12504HA

4 Mailboxes



12505HA

5 Mailboxes



12506HA

6 Mailboxes



12507HA

7 Mailboxes

SURFACE-MOUNTED

When your mailbox installation location has limited wall depth or walls that are covered in material which makes it difficult to cut a rough opening, the surface-mount collar provides a sleek, finished look for the mailbox.



Model Number	Compartments
12503SMSHA	3 Mailboxes
12504SMSHA	4 Mailboxes
12505SMSHA	5 Mailboxes
12506SMSHA	6 Mailboxes
12507SMSHA	7 Mailboxes

Single Row	Double Row	Layout Per Row	Wall Cut Width	Overall Width
3	6	3	17-1/2"	19"
4	8	4	23"	24-1/2"
5	10	5	28-5/8"	30-1/8"
6	12	6	34-1/8"	35-5/8"
7	14	7	39-5/8"	41-1/8"
8	16	4-4	47-1/2"	49"
9	18	5-4	53-1/8"	54-5/8"
10	20	5-5	58-3/4"	60-1/4"
11	22	6-5	64-1/4"	65-3/4"
12	24	6-6	69-3/4"	71-1/4"
13	26	7-6	75-1/4"	76-3/4"
14	28	7-7	80-3/4"	82-1/4"
15	30	5-5-5	88-7/8"	90-3/8"
16	32	5-6-5	94-3/8"	95-7/8"
17	34	6-6-5	99-7/8"	101-3/8"
18	36	6-6-6	105-3/8"	106-7/8"
19	38	6-6-7	110-7/8"	112-3/8"
20	40	7-7-6	116-3/8"	117-7/8"
21	42	7-7-7	121-7/8"	123-3/8"
22	44	6-6-6-4	129-7/8"	131-3/8"
23	46	6-6-6-5	135-1/2"	137"
24	48	6-6-6-6	141"	142-1/2"
25	50	7-6-6-6	146-1/2"	148"
26	52	7-7-7-5	152"	153-1/2"
27	54	7-7-7-6	157-1/2"	159"
28	56	7-7-7-7	163"	164-1/2"
29	58	6-6-6-6-5	171-1/8"	172-5/8"
30	60	6-6-6-6-6	176-5/8"	178-1/8"
Single Row		Double Row		
Wall Cut Depth = 6-3/4"		Wall Cut Depth = 6-3/4"		
Wall Cut Height = 17-3/4"		Wall Cut Height = 37"		
Overall Height = 19-1/8"		Overall Height = 38-1/4"		

NOTE: USPS requires upgrade to current standards when any remodel or renovation occurs to the property. Any remodel big or small should drive an upgrade to CBU or STD-4C Mailboxes per USPS Guidance.



Vertical mailboxes should be installed indoors and protected from direct weather exposure. Florence Corporation is not responsible for damage caused by weather conditions.

Contact your Lowes Sales Representative for customer specific pricing.




VERTICAL MAILBOX Replacement Parts

DOOR & DOOR PARTS



42550
Hinge Pins
(2 per door)



43200
Name Card
(1 per door)



KL41705
High Security Kit
for Master Door



K40100*
Master Door



K40300*
Compartment
Door

LOCKS & KEYS



1111-115
Key Blank



K30809
Lock + 2 Keys



41800
Stop Clips



46010
Press to Close Bar



K41300
Arrow Lock
Mounting Hardware

HARDWARE & MISCELLANEOUS PARTS

SURFACE-MOUNT COLLARS



Model Number

Description

SMS1253A	Collar for 3 wide 12503HA
SMS1254A	Collar for 4 wide 12504HA
SMS1255A	Collar for 5 wide 12505HA
SMS1256A	Collar for 6 wide 12506HA
SMS1257A	Collar for 7 wide 12507HA



1250 SERIES

Vertical Mailboxes

 **INDOOR**



PRIVATE USE
Not USPS approved

All vertical mailbox modules are available in either recessed-mount for in-wall mounting or surface-mount (with included mounting collar).

Not USPS Approved for New Installations Always consult with local Postal Officials before proceeding with mailbox replacement.

RECESSED-MOUNTED

Fully recessed for in-wall mounting.

All Cabinets: 19-1/8" H, 6-1/8" D



12503HA

3 Mailboxes



12504HA

4 Mailboxes



12505HA

5 Mailboxes



12506HA

6 Mailboxes



12507HA

7 Mailboxes

SURFACE-MOUNTED

When your mailbox installation location has limited wall depth or walls that are covered in material which makes it difficult to cut a rough opening, the surface-mount collar provides a sleek, finished look for the mailbox.



Model Number **Compartments**

12503SMSHA 3 Mailboxes

12504SMSHA 4 Mailboxes

12505SMSHA 5 Mailboxes

12506SMSHA 6 Mailboxes

12507SMSHA 7 Mailboxes

Single Row	Double Row	Layout Per Row	Wall Cut Width	Overall Width
3	6	3	17-1/2"	19"
4	8	4	23"	24-1/2"
5	10	5	28-5/8"	30-1/8"
6	12	6	34-1/8"	35-5/8"
7	14	7	39-5/8"	41-1/8"
8	16	4-4	47-1/2"	49"
9	18	5-4	53-1/8"	54-5/8"
10	20	5-5	58-3/4"	60-1/4"
11	22	6-5	64-1/4"	65-3/4"
12	24	6-6	69-3/4"	71-1/4"
13	26	7-6	75-1/4"	76-3/4"
14	28	7-7	80-3/4"	82-1/4"
15	30	5-5-5	88-7/8"	90-3/8"
16	32	5-6-5	94-3/8"	95-7/8"
17	34	6-6-5	99-7/8"	101-3/8"
18	36	6-6-6	105-3/8"	106-7/8"
19	38	6-6-7	110-7/8"	112-3/8"
20	40	7-7-6	116-3/8"	117-7/8"
21	42	7-7-7	121-7/8"	123-3/8"
22	44	6-6-6-4	129-7/8"	131-3/8"
23	46	6-6-6-5	135-1/2"	137"
24	48	6-6-6-6	141"	142-1/2"
25	50	7-6-6-6	146-1/2"	148"
26	52	7-7-7-5	152"	153-1/2"
27	54	7-7-7-6	157-1/2"	159"
28	56	7-7-7-7	163"	164-1/2"
29	58	6-6-6-6-5	171-1/8"	172-5/8"
30	60	6-6-6-6-6	176-5/8"	178-1/8"
Single Row			Double Row	
Wall Cut Depth = 6-3/4"			Wall Cut Depth = 6-3/4"	
Wall Cut Height = 17-3/4"			Wall Cut Height = 37"	
Overall Height = 19-1/8"			Overall Height = 38-1/4"	

NOTE: USPS requires upgrade to current standards when any remodel or renovation occurs to the property. Any remodel big or small should drive an upgrade to CBU or STD-4C Mailboxes per USPS Guidance.



Vertical mailboxes should be installed indoors and protected from direct weather exposure. Florence Corporation is not responsible for damage caused by weather conditions.

Contact your HD Supply Sales Representative for customer specific pricing.




VERTICAL MAILBOX Replacement Parts

DOOR & DOOR PARTS



42550
Hinge Pins
(2 per door)



43200
Name Card
(1 per door)



KL41705
High Security Kit
for Master Door



K40100*
Master Door



K40300*
Compartment
Door

LOCKS & KEYS



1111-115
Key Blank



K30809
Lock + 2 Keys



41800
Stop Clips



46010
Press to Close Bar



K41300
Arrow Lock
Mounting Hardware

HARDWARE & MISCELLANEOUS PARTS

SURFACE-MOUNT COLLARS



Model Number

Description

SMS1253A	Collar for 3 wide 12503HA
SMS1254A	Collar for 4 wide 12504HA
SMS1255A	Collar for 5 wide 12505HA
SMS1256A	Collar for 6 wide 12506HA
SMS1257A	Collar for 7 wide 12507HA